

Wiha Insulated Adjustable Wrenches



76208 Insulated 8" Adjustable Wrench Insulation According to ASTM, EN/IEC, NFPA, CSA and ISO Specification, up to 1000 Volt. Individually Tested. Etched on scale for pre-setting size. Slip guard handle for

added protection.

Item	OAL	OAL	Capacity	•••	
No.	Inch	mm	Opening	lbs.	pkg.
76208	8.0	200	1"	.7	1

☆1000Volt

76210 Insulated 10" Adjustable Wrench

Etched on scale for pre-setting size.

Slip guard handle for added protection.

Item	OAL	OAL	Capacity	-	
No.	Inch	mm	Opening	lbs.	pkg.
76210	10.0	250	1-1/4"	1.4	1

☆1000Volt

76212 Insulated 12" Adjustable Wrench

Etched on scale for pre-setting size.

Slip guard handle for added protection.

Item	OAL	OAL	Capacity	•	
No.	Inch	mm	Opening	lbs.	pkg.
76212	12.0	300	1-1/2"	1.9	1

☆1000Volt

76215 Insulated 15" Adjustable Wrench

Etched on scale for pre-setting size.

Slip guard handle for added protection.

Item	OAL	OAL	OAL Capacity		
No.	Inch	mm	Opening	lbs.	pkg.
76215	15.0	380	1-11/16"	2.8	1



76290 3 Pc. Insulated Adjustable

Wrenches Etched on scale for pre-setting size. Slip guard handle for added protection.

Item No. Set includes the following: 76290 8.0", 10.0", 12.0" Adjustable Pliers

Wiha Insulated Electrician's Knives



Each tool individually tested to 10,000 volts & rated to 1000Volt ac or 1500Volt dc





15000 Insulated Electrician's Cable Stripping Knife, With Insulated Handle, Insulation According To VDE Specification,

Blade tool steel, hardened, molded directly on. Cover included.

Up To 1000 Volt. Individually Tested.

Item	Blade	OAL	OAL	-	
No.	mm	mm	Inch	lbs.	pkg.
15000	50	216	8.5	.30	1







To VDE Specification, Up To 1000 Volt. Individually Tested. Blade tool steel, hardened. Insulation molded directly on. Hooked cutting edge, half-round ground. Cover included.

Item	Blade	OAL	OAL	₽	
No.	mm	mm	Inch	lbs.	pkg.
15050	35	222	8.75	.22	1



\pm 1000Volt

15003 Insulated Electrician's Cable Stripping Knife, With Insulated Handle, Insulation According To VDE Specification, Up To 1000 Volt. Individually Tested.

Straight, partly insulated, strong blade. Insulation molded directly on. Cover included.

Item	Blade	OAL	OAL	•••	
No.	mm	mm	Inch	lbs.	pkg.
15003	50	230	9.0	.23	1





WARNING!

Insulated Tools are intended to provide protection against accidental contact with charged energized circuits. For maximum safety we recommend de-energizing all circuits whenever possible before starting work on electrical apparatus or conductors. Always visually inspect insulation on tools before use, do not use tools if insulation shows signs of wear or damage to the insulated areas of the tool. Wear appropriate eye protection when using hand tools. Use NFPA70E certified insulated protective outer wear when appropriate.